

101642935

cgc



PATENT
16NM02033

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,842,001 B2

Issued: January 11, 2005

Inventors: Yoshikazu Ikezaki

Assignee: GE Medical Systems Global
Technology Company, LLC

For: MRI SYSTEMS WITH PARALLEL
RECEIVERS FOR PHASE CORRECTION

Certificate

DEC 14 2006

of Correction

CERTIFICATE OF MAILING

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December 6, 2006.

PSA
Phillip A. Shipley
Reg. No. 51,357

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450.

REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT UNDER 37 C.F.R. 1.322(a)

Sir:

Attached, in duplicate, is Form PTO/SB/44 with one copy being suitable for printing.

In Claim 7, column 14, line 19, delete "imaging echo" insert therefor -- imaging

echoes --.

In Claim 7, column 14, line 19, delete "MS-DW-EPI" and insert therefore -- multi-

shot diffusion-weighted echo planar imaging --.

In Claim 9, column 14, line 27, delete "receive" insert therefor -- receiver --.

DEC 18 2006

In Claim 17, column 14, line 55, delete " $V=(S*S)^{31\ 1} S* A$ " insert therefor --

$V=(S*S)^{-1} S* A$ --.

The correction is not due to any error by applicants and no fee is due.

The Assignment for this patent is recorded on Reel 014416/ Frame 0638

Respectfully submitted,

Date: 12/6/06



Phillip A. Shipley
Reg. No. 51,357
ARMSTRONG TEASDALE LLP
One Metropolitan Square, Suite 2600
St. Louis, Missouri 63102-2740
(314) 621-5070

Approved for use through 04/30/2007. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,842,001 B2
DATED : January 11, 2005
INVENTORS(S) : Ikezaki et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 7, column 14, line 19, delete "imaging echo" insert therefor -- imaging echoes --.

In Claim 7, column 14, line 19, delete "MS-DW-EPI" and insert therefore -- multi-shot diffusion-weighted echo planar imaging --.

In Claim 9, column 14, line 27, delete "receive" insert therefor -- receiver --.

In Claim 17, column 14, line 55, delete " $V=(S^*S)^{31\ 1} S^* A$ " insert therefor -- $V=(S^*S)^{-1} S^* A$ --.

MAILING ADDRESS OF SENDER:
Phillip A. Shipley
Armstrong Teasdale LLP
One Metropolitan Sq., Suite 2600
St. Louis, MO 63102

PATENT NO. 6,842,001 B2

No. of additional copies

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,842,001 B2
DATED : January 11, 2005
INVENTORS(S) : Ikezaki et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 7, column 14, line 19, delete "imaging echo" insert therefor -- imaging echoes --.

In Claim 7, column 14, line 19, delete "MS-DW-EPI" and insert therefore -- multi-shot diffusion-weighted echo planar imaging --.

In Claim 9, column 14, line 27, delete "receive" insert therefor -- receiver --.

In Claim 17, column 14, line 55, delete " $V=(S^*S)^{31\ 1} S^* A$ " insert therefor -- $V=(S^*S)^{-1} S^* A$ --.

MAILING ADDRESS OF SENDER:
Phillip A. Shipley
Armstrong Teasdale LLP
One Metropolitan Sq., Suite 2600
St. Louis, MO 63102

PATENT NO. 6,842,001 B2

No. of additional copies

1 8 2005

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.